

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Sunday, October 28, 2007

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L112	L103 and (((nuclear or magnetic or electron) with (resonan\$2)) or NMR or MRI or ESR)	0
<input type="checkbox"/>	L111	L110 and (((nuclear or magnetic or electron or spin or paramagnetic) with (resonan\$2)) or NMR or MRI or ESR or EPR)	0
<input type="checkbox"/>	L110	L107 and ((toggle or togg\$3 or movable or move or moved or moving or motion or alternat\$3 or change or changeable or changing or changed or varied or variable or oscillat\$3 or varying or rotat\$4 or nutat\$3 or rotatable or flip\$4 or tip\$4 or twist\$3 or dial\$3 or rotary) same ((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode)))	35
<input type="checkbox"/>	L109	L107 and ((toggle or togg\$3 or movable or move or moved or moving or motion or alternat\$3 or change or changeable or changing or changed or varied or variable or oscillat\$3 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary) same ((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode)))	35
<input type="checkbox"/>	L108	L107 and ((toggle or togg\$4 or movable or move or moved or moving or motion or alternat\$4 or change or changeable or changing or changed or varied or variable or oscillat\$4 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary) same ((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode)))	35
<input type="checkbox"/>	L107	L106 and ((electrical\$2 or physical\$2 or mechanical\$2 or direct\$2) with (contact or connect\$2) same (gold or silver or copper or metal or metallic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu"))	72
<input type="checkbox"/>	L106	L105 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	107
<input type="checkbox"/>	L105	L104 and (switch\$4)	2411
<input type="checkbox"/>	L104	L91 and (gold or silver or copper or metal or metallic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu")	3909
<input type="checkbox"/>	L103	L102 and (((parallel) with (bar or rod or cylinder)) same ((surfac\$3) with (contact\$4)))	1
<input type="checkbox"/>	L102	L101 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	28
<input type="checkbox"/>	L101	L91 and (lug\$4)	485
<input type="checkbox"/>	L100	L91 and (lug\$4)	485
<input type="checkbox"/>	L99	L91 and (lug\$4)	485
<input type="checkbox"/>	L98	L97 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	1
<input type="checkbox"/>	L97	L94 and (lug\$4)	16
<input type="checkbox"/>	L96	L95 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	2
<input type="checkbox"/>	L95	L94 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4))	11
<input type="checkbox"/>	L94	L91 and (((parallel) with (bar or rod or cylinder)) same ((surfac\$3) with (contact\$4)))	97
<input type="checkbox"/>	L93	L91 and (((nuclear or magnetic or electron) with (resonan\$2)) or NMR or MRI or ESR)	9
<input type="checkbox"/>	L92	L91 and (((nuclear or magnetic or electron) with (resonan\$2)) or NMR or ESR)	8

<input type="checkbox"/>	L91	((((200/275).ccls.) or ((200/278).ccls.) or ((200/16R).ccls.) or ((200/16A).ccls.))	5231
<input type="checkbox"/>	L90	L4 and L1	25
<input type="checkbox"/>	L89	L88 and ((equivalent same series same resistan\$2 or ESR) same (switch\$4))	1
<input type="checkbox"/>	L88	L31 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4))	322
<input type="checkbox"/>	L87	L86 and ((equivalent same series same resistan\$2 or ESR) same (switch\$4))	1
<input type="checkbox"/>	L86	L31 and (((parallel) with (bar or rod or cylinder)) same ((surfac\$3) with (contact\$4)))	53
<input type="checkbox"/>	L85	L31 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4) with (lug))	2
<input type="checkbox"/>	L84	L75 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4) with (lug))	1
<input type="checkbox"/>	L83	L75 and (((parallel) with (bar or rod or cylinder)) same ((surfac\$3) with (contact\$4)))	1
<input type="checkbox"/>	L82	L81 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4))	2
<input type="checkbox"/>	L81	L77 and ((nuclear or magnetic or electron) with (resonan\$2))	11
<input type="checkbox"/>	L80	L79 and ((nuclear or magnetic or electron) with (resonan\$2))	2
<input type="checkbox"/>	L79	L78 and (((physical\$2 or mechanical\$2) with (electric\$4 or direct\$2)) with (contact\$4))	4
<input type="checkbox"/>	L78	L77 and ((physical\$2 or electric\$4 or mechanical\$2 or direct\$2) with (contact\$4))	16
<input type="checkbox"/>	L77	L76 and (surfac\$3)	26
<input type="checkbox"/>	L76	L75 and ((contact\$4 or node) same (area or region or volume or zone))	44
<input type="checkbox"/>	L75	L73 and ((quiescent\$2 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$3 or mode))	280
<input type="checkbox"/>	L74	L73 and ((quiescent\$4 or inactiv\$4 or "off" or rest\$3) same (position or state or operat\$4 or mode))	280
<input type="checkbox"/>	L73	L72 and (add or adding or added or addition or increas\$4)	386
<input type="checkbox"/>	L72	L71 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	403
<input type="checkbox"/>	L71	L70 and (coil or antenna or probe or winding or loop or ring or anulus or anular\$2)	520
<input type="checkbox"/>	L70	L69 and (capacit\$4)	715
<input type="checkbox"/>	L69	L68 and ((equivalent same series same resistan\$2 or ESR) same (switch\$4))	984
<input type="checkbox"/>	L68	((((nuclear or magnetic or electron) with (resonan\$2)) or NMR or MRI or ESR)	309627
<input type="checkbox"/>	L67	L66 and ((slid\$4 or rotary) with (switch\$4))	2
<input type="checkbox"/>	L66	L65 and (mercury or "Hg")	15
<input type="checkbox"/>	L65	L64 and (rhodium or "rh")	220
<input type="checkbox"/>	L64	L63 and (silver or "Ag")	910
<input type="checkbox"/>	L63	L62 and (gold or "Au")	1659
<input type="checkbox"/>	L62	L61 and (copper or "cu")	2717
<input type="checkbox"/>	L61	(contact with electrical with plating)	4051
<input type="checkbox"/>	L60	L56 and (Rubidium or "RB")	8
<input type="checkbox"/>	L59	L58 and (Rubidium or "RB")	1
<input type="checkbox"/>	L58	L57 and (mercury or "Hg")	6
<input type="checkbox"/>	L57	L56 and (rhodium or "rh")	28
<input type="checkbox"/>	L56	L55 and (silver or "Ag")	158
<input type="checkbox"/>	L55	L54 and (copper or "cu")	322

<input type="checkbox"/>	L54	L53 and ((slid\$4 or rotary) with (switch\$4))	817
<input type="checkbox"/>	L53	L52 and (gold or "Au")	41613
<input type="checkbox"/>	L52	((electrical\$2) with (contact or connect\$2) with (gold or silver or copper or metal or metallic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu"))	157773
<input type="checkbox"/>	L51	L50 and (gold of "Au")	0
<input type="checkbox"/>	L50	L49 and (equivalent with series with resistan\$2)	38
<input type="checkbox"/>	L49	((semiconduct\$4 or semi-conduct\$4) with (contact or connection) same (coat\$4 or cover\$3) same (gold or silver or copper or metal or metallic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu"))	15058
<input type="checkbox"/>	L48	L47 and ((series) same (switch\$4))	24
<input type="checkbox"/>	L47	fetzner	368
<input type="checkbox"/>	L46	L45 and ((series) same (switch\$4))	12
<input type="checkbox"/>	L45	L44 and (parallel)	19
<input type="checkbox"/>	L44	L43 and (series)	26
<input type="checkbox"/>	L43	L42 and ((contact\$4 or connect\$4 or link\$4 or bridg\$4) same (gold or silver or copper or metal or metallic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu"))	27
<input type="checkbox"/>	L42	L37 and (gold or silver or copper or metal or metallic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu")	55
<input type="checkbox"/>	L41	L40 and ((contact\$4 or connect\$4 or link\$4 or bridg\$4) same (gold or silver or copper or metal or metallic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu"))	23
<input type="checkbox"/>	L40	L39 and (gold or silver or copper or metal or metallic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu")	50
<input type="checkbox"/>	L39	L38 and (((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4)) same (circuit\$4))	79
<input type="checkbox"/>	L38	L37 and (circuit\$4)	94
<input type="checkbox"/>	L37	L36 and L31	96
<input type="checkbox"/>	L36	L35 and ((toggl\$4 or togg\$4 or movable or move or moved or moving or motion or alternat\$4 or change or changeable or changing or changed or varied or variable or oscillat\$4 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary) same ((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode)))	1349
<input type="checkbox"/>	L35	L34 and (disconnect\$4 or dis-connect\$4 or remov\$4 or eliminat\$4)	1797
<input type="checkbox"/>	L34	L20 and ((inserting or inserted or insertable or adding or added or add or includ\$3 or additional) with (switch\$4))	2184
<input type="checkbox"/>	L33	L32 and (gold or silver or copper or metal or metallic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu")	4
<input type="checkbox"/>	L32	L31 and L29	8
<input type="checkbox"/>	L31	((((324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322).ccls.) or ((600/407 600/408 600/409 600/410 600/411 600/412 600/413 600/414 600/415 600/416 600/417 600/418 600/419 600/420 600/421 600/422 600/423 600/424 600/425 600/426 600/427 600/428 600/429 600/430 600/431 600/432 600/433 600/434 600/435).ccls.) or ((333/219 333/219.1 333/219.2 333/220 333/221 333/222 333/223 333/224 333/225 333/226 333/227 333/228 333/229 333/230 333/231 333/232 333/233 333/234 333/235).ccls.) or ((335/296 335/297 335/298 335/299 335/300 335/301 335/302 335/303 335/304 335/305 335/306).ccls.) or ((382/128 382/129 382/130 382/131).ccls.))	32865
<input type="checkbox"/>	L30	L29 and (lug)	6

<input type="checkbox"/>	L29	L28 and ((Multiple or "multi" or multipole or "multi-pole") same (switch\$4))	226
<input type="checkbox"/>	L28	L27 and ((toggle or togg\$4 or movable or move or moved or moving or motion or alternat\$4 or change or changeable or changing or changed or varied or variable or oscillat\$4 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary) same ((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode)))	468
<input type="checkbox"/>	L27	L26 and (toggle or togg\$4 or movable or move or moved or moving or motion or alternat\$4 or change or changeable or changing or changed or varied or variable or oscillat\$4 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary)	547
<input type="checkbox"/>	L26	L24 and (((tiny or minescul\$2 or small or little or minor or bit) with (gap or space or hole or distance or area or region or zone or volume)) same (position or state or operat\$3 or mode))	547
<input type="checkbox"/>	L25	L24 and (((tiny or minescul\$4 or small or little or minor or bit) with (gap or space or hole or distance or area or region or zone or volume)) same (position or state or operat\$4 or mode))	547
<input type="checkbox"/>	L24	L20 and ((tiny or minescul\$4 or small or little or minor or bit) with (gap or space or hole or distance or area or region or zone or volume))	1027
<input type="checkbox"/>	L23	L22 and (toggle or togg\$4 or movable or move or moved or moving or motion or alternat\$4 or change or changeable or changing or changed or varied or variable or oscillat\$4 or varying or rotat\$4 or nutat\$4 or flip\$4 or tip\$4 or twist\$4 or dial\$4 or rotary)	520
<input type="checkbox"/>	L22	L21 and (gold or silver or copper or metal or metalic\$4 or rhodium or "rh" or "Ag" or "Au" or mercury or "cu")	520
<input type="checkbox"/>	L21	L20 and ((tiny or minescul\$4 or small or little or minor or bit) with (gap or space or hole or distance))	622
<input type="checkbox"/>	L20	L19 and ((switch\$4) same (contact\$4 or connect\$4 or link\$4 or bridg\$4))	3248
<input type="checkbox"/>	L19	L18 and ((coil or antenna or probe or winding or loop or ring or anulus or anular\$2) same (capacit\$4))	4123
<input type="checkbox"/>	L18	L17 and (capacit\$4)	8371
<input type="checkbox"/>	L17	L16 and (contact\$4 or connect\$4 or link\$4 or bridg\$4)	12736
<input type="checkbox"/>	L16	L15 and (coil or antenna or probe or winding or loop or ring or anulus or anular\$2)	13063
<input type="checkbox"/>	L15	L14 and (switch\$4)	15078
<input type="checkbox"/>	L14	L13 and (((nuclear or magnetic or electron) with (resonan\$2)) or NMR or MRI or ESR)	41725
<input type="checkbox"/>	L13	((quiescent\$3 or inactiv\$3 or "off" or rest\$3) same (position or state or operat\$4 or mode))	2906799
<input type="checkbox"/>	L12	((quiescent\$4 or inactiv\$4 or "off" or rest\$3) same (position or state or operat\$4 or mode))	2915181
<input type="checkbox"/>	L11	L10 and (quiescent\$4)	2
<input type="checkbox"/>	L10	L4 and (switch\$4)	179
<input type="checkbox"/>	L9	L8 and (switch\$4)	1
<input type="checkbox"/>	L8	L7 and (((nuclear or magnetic or electron) with (resonan\$2)) or NMR or MRI or ESR)	1
<input type="checkbox"/>	L7	L4 and ((equivalent same series same resistant) same (switch\$4))	85
<input type="checkbox"/>	L6	L5 and ((equivalent with series with resistant) same (switch\$4))	1
<input type="checkbox"/>	L5	(equivalent with series with resistant)	52
<input type="checkbox"/>	L4	(equivalent same series same resistant)	1659
<input type="checkbox"/>	L3	L1 and (equivalent same series same resistant)	25
<input type="checkbox"/>	L2	L1 and (equivalent with series with resistant)	1
<input type="checkbox"/>	L1	((nuclear or magnetic or electron) with (resonan\$2)) or NMR or ESR)	149080

END OF SEARCH HISTORY

Hit List

[First Hit](#)[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Search Results - Record(s) 1 through 5 of 5 returned.

☐ 1. Document ID: US 20060091886 A1

L121: Entry 1 of 5

File: PGPB

May 4, 2006

PGPUB-DOCUMENT-NUMBER: 20060091886

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20060091886 A1

TITLE: Low esr switch for nuclear resonance measurements

PUBLICATION-DATE: May 4, 2006

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Flexman; John Harold	Western Australia		<u>AU</u>
Aitken; Christopher Norman	Western Australia		<u>AU</u>

US-CL-CURRENT: 324/322

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	RMK	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	-----------	-------

☐ 2. Document ID: US 5321221 A

L121: Entry 2 of 5

File: USPT

Jun 14, 1994

US-PAT-NO: 5321221

DOCUMENT-IDENTIFIER: US 5321221 A

TITLE: Self-disconnecting circuit-breaker for medium tension, and use thereof in a medium-tension station or bay

DATE-ISSUED: June 14, 1994

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Rozier; Paul	Chalon sur Saone			FR

US-CL-CURRENT: 218/2

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	RMK	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	-----------	-------

☐ 3. Document ID: US 3180239 A

L121: Entry 3 of 5

File: USOC

Apr 27, 1965

US-PAT-NO: 3180239

DOCUMENT-IDENTIFIER: US 3180239 A

TITLE: Apparatus for the photoelectrostatic reproduction of images

DATE-ISSUED: April 27, 1965

INVENTOR-NAME: BECK JR WILLIAM R; SHEARER WALTER V ; WHEELLOCK SR ARNOLD M

US-CL-CURRENT: 399/33, 250/315.3, 271/30.1, 307/41

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	RMC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	-----------	-------

☐ 4. Document ID: US 2311976 A

L121: Entry 4 of 5

File: USOC

Feb 23, 1943

US-PAT-NO: 2311976

DOCUMENT-IDENTIFIER: US 2311976 A

TITLE: ph measurement and control device

DATE-ISSUED: February 23, 1943

INVENTOR-NAME: COLEMAN EDWIN D

US-CL-CURRENT: 324/438; 204/402, 204/409, 204/420, 204/435

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	RMC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	-----------	-------

☐ 5. Document ID: US 2078253 A

L121: Entry 5 of 5

File: USOC

Apr 27, 1937

US-PAT-NO: 2078253

DOCUMENT-IDENTIFIER: US 2078253 A

TITLE: Electric snap switch

DATE-ISSUED: April 27, 1937

INVENTOR-NAME: KRIEGER ALVIN W

US-CL-CURRENT: 200/18; 200/453, 200/9

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	RMC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	-----------	-------

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Term	Documents
CAPACIT\$4	0
CAPACIT	8029

CAPACITA	1521
CAPACITAA	1
CAPACITAACA	1
CAPACITAACC	1
CAPACITAACE	10
CAPACITAAI	1
CAPACITABCE	1
CAPACITABEE	1
CAPACITABLY	2
(L120 AND (CAPACIT\$4)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	5

[There are more results than shown above. Click here to view the entire set.](#)

Display Format: [Change Format](#)

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)